PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

G09B 3/00, 5/00, 7/00

A1

(11) International Publication Number: WO 98/13807

(43) International Publication Date: 2 April 1998 (02.04.98)

US

(21) International Application Number: PCT/US97/16672

(22) International Filing Date: 24 September 1997 (24.09.97)

(30) Priority Data: 60/026,680 25 September 1996 (25.09.96)

(71) Applicant (for all designated States except US): SYLVAN LEARNING SYSTEMS, INC. [US/US]; 1000 Lancaster Street, Baltimore, MD 21202-4373 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): STUPPY, John, J. [US/US]; 5610 Buckingham Palace Court, Alexandria, VA 22315-4120 (US).

(74) Agent: SZIPL, Joerg-Uwe; Griffin, Butler, Whisenhunt & Kurtossy, Suite PH-1, 2300 Ninth Street, South, Arlington, VA 22204 (US). (81) Designated States: AU, BB, BR, CA, CN, IL, JP, KR, MG, MX, NO, NZ, RO, SG, TT, US, VN, YU, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: AUTOMATED TESTING AND ELECTRONIC INSTRUCTIONAL DELIVERY AND STUDENT MANAGEMENT SYSTEM

(57) Abstract

This invention is a computer based system for the assessment, management and instruction of students, and for the delivery of work pages and other instructional materials in the form of electronic student workbooks. The computer based assessment of the student produces a student profile including skill gaps or learning objectives. Teacher (20) and student (22) workstations are networked CPUs with pen-based tablet inputs, and displays network with a central processor (10) and data base. A director workstation may also be provided network with the central processor. The central processor generates a teacher workbook either directly or with input from the director workstation. The teacher, or teacher and director together, assemble an electronic student workbook containing instructional materials correlated with the student profile. The system tracks useful data such as instructional material (e.g., textbook pages, work sheets, software, simulations, tests, etc.) delivered to students.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia	
AM	Armenia	F1	Finland	LT	Lithuania	SK	Slovakia	
AT	Austria	FR	France	LU	1.uxembourg	SN	Senegal	
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland	
AZ	Azerbaijan	GB	United Kingdom	· MC	Monaco	TD	Chad	
BA	Hosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo	
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan	
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan	
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey	
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago	
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine	
BR	Brazil	IL	Israel ·	MR	Mauritania	UG	Uganda	
BY	Belarus	15	Iceland	MW	Malawi	us	United States of America	
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan	
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam	
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	Z.W	Zimbabwe	
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
CM	Cameroon		Republic of Korea	PL.	Poland			
CN	China	KR	Republic of Korea	PT	Portugal			
CU	Cuba	KZ	Kazakstan	RO	Romania			
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DE	Germany	П	Liechtenstein	SD	Sudan			
DK	Denmark	LK	Sri Lanka	SE	Sweden			
EE	Eistonia	LR	Liberia	SG	Singapore			

Automated Testing and Electronic Instructional Delivery and Student Management System

Background of the Invention

10

15

20

25

30

It has long been an objective in education to automate the handwritten pen and paper-and-pencil and to develop a testing process computer-based diagnostic and prescriptive student assessment system in tutoring and supplemental education franchises, corporate education and school-based learning centers. Educational testing organizations have strived to allow teachers and learning center personnel to administer a complete and accurate student assessment test battery using computers. In addition, students have been assessed. it would advantageous to automatically develop individualized student workbooks suited for each particular student, and then automate the assembly and delivery instructional material required by the individual student.

Currently, when a student enrolls in tutorial or supplemental educational programs, he or she completes a series of primarily paper-and-pencil diagnostic tests to identify subject-specific skill gaps. Once these tests are corrected and analyzed against a given curriculum of subject-specific learning objectives, a teacher or supervisor outlines a personalized program of instruction through which the student will master the subject.

It is an object of the present invention to automate the testing process. It is a further object of the present invention to provide a computer system for administering a complete diagnostic test battery, including, as appropriate, vision and other tests. It

is a further object to gather information suitable for assisting in the diagnosis, prescription, and instruction of students, and to maintain appropriate records of the process.

Once a student has completed a test battery, it is an object of the present invention to diagnose and analyze the test results to identify the student's skill gaps and produce a useful student profile. It is a further object of the present invention to generate a personalized study plan and prescription which can then be followed and tracked using an automated delivery system for instructional materials. In short, it is also an object of the present invention to generate more useful diagnostic, prescriptive, instructional and marketing information than the current battery of mostly paper-and-pencil tests presently provide.

It is yet another object of the present invention to develop a new automated assessment system to replace the mostly paper-and-pencil test battery presently administered in tutorial learning centers. Lastly, still further objects of the present invention are to enhance assessment, improve effectiveness, streamline test administration and use, increase profitability of tutorial learning centers utilizing the system of the invention, reduce administration and scoring costs, eliminate duplicate data entry between applications, support new educational product development, improve instruction, upgrade process efficiency, student length-of-stay, enhance quality control, and improve data collection.

Summary of the Invention

20

25

30

In accordance with the above objects, the present invention provides a method of automated

instructional material. delivery of The method comprises, in one embodiment, steps (a)-(e). is generating student profile data including skill gaps. Step (b) is generating an electronic student workbook containing instructional material correlated to the student profile data. Step (c) is displaying the electronic workbook on a student workstation. is collecting student input data input at the student workstation in response to instructional materials. Finally, step (e) is updating the student profile data in response to the student input data.

10

15

20

25

30

Preferably, step (b) of generating an electronic student workbook further comprises steps (b1)-(b3). Step (b1) is generating an electronic teacher workbook containing a set of instructional materials correlated to the student profile. Step (b2) is displaying the teacher workbook on a teacher workstation. Lastly, step (b3) is generating the student workbook from a subset of said instructional materials selected by input into the teacher workstation.

In another preferred embodiment, step (e) further comprises the steps of: collecting student input data from the student workstation to the teachers workbook, and collecting teacher input data input into the teacher workstation. The student profile data is then preferably updated in response to student input data and teacher input data.

In another embodiment, the method further comprises the step of collecting instructional material data corresponding to instructional materials sent to a student, and calculating charges based on the instructional material data. Such charges can be either student charges, or charges to the centers using

the system for the use of copyrighted or proprietary instructional materials.

Step (a) of generating student profile data comprises administering a test to the student for identifying a discrete set of skill gaps, wherein the profile comprises the discrete set of skill gaps.

Step (e) of updating the student profile data, preferably comprises adding and subtracting skill gaps.

The method of the invention is preferably carried out so that the step (e) of updating the student profile data is followed by steps (b), (c), (d) and (e) to form a feedback loop containing steps (b), (c), (d) and (e).

The teacher workbook preferably has an application 15 for taking notes, and an application for generating statistics in response to the student input data.

In a still further embodiment, step (b1) generating an electronic teacher workbook further includes the additional steps of (b11), (b12), and 20 (b13). Step (b11) is generating an electronic director workbook containing a set of instructional materials correlated to the student profile. Step (b12) displaying the director workbook on а workstation, and step (b13) is generating the teacher 25 workbook from a subset of said instructional materials selected by input into the director workstation. this embodiment, step (e) preferably further includes the steps of: collecting student input data from the student workbook to the teachers workbook, collecting teacher input data input into the teacher workstation, 30 and collecting director input data into the director workstation. The student profile data is then updated in response to student input data, teacher input data, and director input data.

Also in accordance with the present invention, the present invention provides a system for electronic instructional delivery. The system has a central data base containing student profile data and instructional materials. A central processor is connected to the central database for generating electronic teacher workbooks from the student profile data instructional materials. A teacher workstation is connected to the central processor. The teacher workstation includes a display for displaying teacher workbooks generated by the central processor, an input device for inputing teacher input data generated in response to the teacher workbooks, and a processor for generating electronic student workbooks comprising instructional materials in response to the teacher input and student profile data. A student workstation is connected to the teacher workstation. The student workstation includes a display for displaying student workbooks, an input device for inputing student input data generated in response to instructional materials in the student workbook, and means for forwarding input data to the central processor to update the student profile data. In this preferred embodiment of system, the student profile data preferably comprises skill gaps.

10

15

20

25

30

Another embodiment of the system according to the present invention has a director workstation connected to the central processor. The director workstation, includes a display for displaying director workbooks generated by the central processor, an input device for inputing director input data generated in response to the director workbooks, and a processor for generating electronic teacher workbooks comprising instructional

materials in response to the director input and the student profile data.

In a yet further embodiment of the system of the present invention, the director, teacher and student workstations are merely displays and input devices and all processing is done by the central processor.

The system of the present invention preferably has a single teacher workstation and a plurality of student workstations at a single location on a U-shaped table.

Further objects, features and advantages of the present invention will become apparent from the Description of the Preferred Embodiments which follows, when considered together with the attached Drawings.

Description of the Drawings

30

Fig. 1 is a schematic representation of a system 15 according to the present invention.

Fig. 2 is a schematic representation of another embodiment of the system according to the invention including a plurality of worktables.

Fig. 3 is a log on screen according to the 20 invention.

Fig. 4 is a communications log section of the electronic teacher workbook according to the invention.

Fig. 5 is a goals section of the electronic teacher workbook according to the present invention.

Fig. 6 is an instruction section from the electronic teacher workbook according to the present invention.

Fig. 7 is a screen display or page from the teacher workbook according to the invention showing an example of instructional material to be sent to a student after selection from the instruction section.

Fig. 8 shows a page of the electronic student workbook displaying the instructional material of Fig. 7.

- Fig. 9 shows the Basic Facts section of the 5 electronic teacher workbook according to the preferred embodiment of the invention.
 - Fig. 10 another page of the Basic Facts section of the electronic teacher workbook.
- Fig. 11 shows the link between databases 10 Student.dbf and RP.dbf.
 - Fig. 12 shows the link between databases T2KMfcts.dbf and Student.dbf.
 - Fig. 13 shows the link between databases T2KMRSn.dbf and RP.dbf.
- Fig. 14 shows the link between databases MalPresc.dbf and Student.dbf.
 - Fig. 15 shows the link between databases T2KLtDtl.dbf and Prescrip.dbf.

Description of the Preferred Embodiments

20 The invention is directed to a computer based system for the assessment, management and instruction of students and for the delivery of work pages and other instructional materials in the form of electronic student workbooks. In a preferred embodiment, as shown schematically in Fig.1, the system is designed for use 25 with a table 6 that seats a teacher and a number of The teacher has a teacher workstation 1, students. and the four students have student workstations 2-5. In this embodiment, the teacher workstation 1 and the 30 student workstations 2-5 are networked CPUs with a penbased tablet input and display. The teacher can send selected instructional materials to each of students through the pen tablet interface of

workstation 1 and can see what each student is doing on that student's pen tablet interface upon receipt of the image on the display of teacher workstation 1. Although Fig. 1 shows a worktable 6 in which the teacher and students are at the same location, because the system comprises networked CPUs, through such methods as LAN, WAN, Dial-up, or other methods, it is possible to have additional students, or even all students at remote locations.

As will be explained in detail below, with reference to the Figures and to the Examples, the delivery of student workbooks is accomplished in accordance with a previously, preferably automatically, assessed student profile of each student. The system of this embodiment may also accomplish the assessment and diagnosis to generate a student profile. The profile is then used by the system to generate electronic student workbooks personalized for each student.

20 In the automated assessment and diagnostic testing, a student receives instructions directly from a computer through a multimedia interface, in this embodiment, the pen based workstation 2-5 and an audio headset (not shown) connected to each workstation for 25 instructions to the delivering oral student. student takes the assessment test and answers electronically using the pen or other input device. The answers are scored electronically so that the student's initial assessment is free of scoring and 30 administration errors. The student may also receive a battery of tests over one of the workstations 2-5. The tests are generally designed to identify the ability to perform different tasks or the mastery of certain learning objectives or skills. The assessment tests

are scored and analyzed by computer to generate a student profile which is then utilized by the system of the present invention to generate a learning program suited to that student and deliver electronic student workbooks to the workstations 2-5 of the system of the present invention. The student profile contains, among other data, skill gaps which need to be filled by further instruction. Ongoing assessments during the use of the system are used to expand and update the profile.

The system architecture incorporates a file server 10 networked to and capable of receiving input from multiple student workstations and multiple teacher workstations.

10

15 Fig. 2 shows another embodiment of the present invention comprising a server 10 multiple and worktables 25. Each worktable 25 has a teacher workstation 20 where a teacher 21 can be seated and a plurality of student workstations 22 where students 24 are seated. Figure 2 shows three student workstations 22, but any number of student workstations is possible depending on the desired student/teacher ratio. teacher workstation 20 and student workstation 22 is provided networkable microprocessor. with a An individual teacher 21 may communicate through the 25 network to any of the student workstations Likewise, other teachers may engage a plurality of different students at another worktable 25 in a similar or different arrangement. In Figure 2, the worktables 25 are shown in the shape of a "U" with the teacher 21 30 and teacher workstation 20 in the middle surrounded by students 23 and student workstations 22. The invention is just as applicable to round-tables or other suitable

configurations. In other embodiments, the teacher and student may be at completely different locations.

The server 10 is adapted to track the various activities and inputs of each student and record student input data, either automatically through the student workstation 22, or manually as a result of teacher inputs from teacher workstation 20.

The system is designed to preserve student-teacher interaction, because the pen tablet interface is on the surface of table 25 and is not a vertical display interfering with eye contact. Other embodiments are contemplated which further provide mechanisms by which the angle of the screen may be adjusted, or other input devices such as keyboards to supplement the pen input.

10

15 The teacher 21 sits at table 25 and each student 23 sits at the table 25 at a location opposite or adjacent the teacher 21. Each teacher workstation 20 and each student workstation 23 comprises a fully functional microcomputer or computer controlled display 20 device. In the preferred embodiment, for example, each workstation 20,23 is a personal computer capable of running any one of a plurality of programs, either supplied by the network provider or over central server 10, or run from a hard disk, RAM or other storage 25 device on the workstation 20, 22 itself. In other for words, example, the system software applications software are preferably fully compatible with commercially available computer systems, such as, for example Pentium™ based personal computer systems, 30 to allow third party commercial educational software to be easily integrated over the network. Of course, the invention is not limited to any one kind of processor type, and other computer systems and processors may be employed.

In another embodiment, the teacher and student workstations 20, 22 are merely displays and inputs, and all calculation takes place in the central processor 10.

5 The overall system according to the invention contemplates a seamless arrangement whereby a student enters the teaching environment represented in Figure 2 by worktable 25 and receives a battery of assessment tests, which in a preferred system would be 10 automated battery of tests for assessment diagnostics in order to produce the student profile. A student initially receives a test to determine his or her level of mastery for every skill or learning objective to identify skill gap data. The skill gap data then becomes part of the student profile. 15

A locator test can first be given to pinpoint the most appropriate testing level for the student, and allow more accurate assessment and the generation of a more accurate student profile. The locator test is 20 preferably reading and math oriented and is designed to allow subsequent testing to be done at the level appropriate for the student's skill. With very young children, for example, who may not be able to read, non-verbal testing may be required. With 25 children, mathematical testing, for example, may have to be done at a lower reading level in order to properly assess the child's ability without a bias associated with a lower reading level, and to thus generate an accurate and useful student profile.

The assessment and diagnostic testing required to generate the student profile is preferably automated in order to avoid manual testing errors that can have significant effect on the assessment of the student's progress. Such automated testing can be executed at the

student workstation 23 using the pen tablet interface of the preferred embodiment, or another appropriate interface. It is also possible for assessment and diagnostic testing to take place remotely from worktable 25.

Once the battery of tests is completed, the system corrects the tests and provides a student profile of the student's ability level. The profile is then preferably evaluated by a director of education (DE), 10 some other manager, or a teacher. Notes and comments can be entered in the teacher workbook generated using the student profile data. Such additions to the teacher workbook will assist when the teacher workbook is used to generate a student workbook or deliver instructional materials at a later time in the teaching 15 The teacher process. or DE may plan or pick instructional materials which become part of students workbook based on selections created by the server in accordance with the student profile. course, the student workbook can also be generated 20 automatically without teacher assistance using the data of the student profile. The student workbook including these selected materials is then stored in the memory of the server.

Server 10 or the teacher workstation 20 can track the instructional materials delivered to the student workstation for charge calculation purposes. As used herein, the term instructional material refers to data or software useful in instruction, and includes, for example, textbook pages, work sheets, instructional software, simulations and tests of various kinds.

When instructing students, the teacher 21 instructs one or more students 24 at worktable 25. Each student has a student workstation 23, comprising a pen

tablet interface in the preferred embodiment. The pen tablet or student workstation 23 is placed on the surface of table 25, as is the teacher workstation 21. This construction, as mentioned above, facilitates student/teacher interaction.

The preferred embodiment of the instructional delivery and student management process will be explained in the Example with reference to Figs. 3-10.

Figures 4-10 illustrate sample computer screens of 10 the teacher workbook and student workbooks according to the present invention and illustrate how the two are interconnected and used with teacher workstations 20 and student workstations 22. The sample screens of the Figs. illustrate various features of the invention including the interactive technique for delivering instructional materials to the students.

15

20

25

In the preferred embodiment, the student and teacher workbooks create a workbook metaphor user environment. What the user sees is a representation of a ring binder. Touching tabs on either side of the workbook allows the user to switch between sections, and touching the lower corners of individual pages allows the user to turn pages within the workbook.

However, the terms teacher student and director workbooks are not limited to a notebook metaphor user environment, but include other graphical interface user environments as well. It may be appropriate to have a classroom user environment or school house environment. It may even be appropriate to tailor the user environment to the grade level or subject taught. In short, as used herein, workbook refers broadly to the combination of software graphical interface and data contained displayed thereby.

Fig. 8, for example, illustrates the capture of handwriting input by the pen tablet of the student workstation 22 during manual exercises in the student workbook. The teacher workbook itself is illustrated in Figs. 4-7, 9 and 10. A page of instruction section of the teacher workbook showing skill activities assembled accordance with a given student profile illustrated in Fig. 6. As will be explained in detail in the example below, using the pen, mouse, or other 10 pointing device, various boxes may be clicked to call up information on assembled instructional materials in the lower half of the screen relating to a particular skill gap identified in the student profile of a particular student.

The Figs. 9 and 10 illustrate interactive teaching and record keeping associated with an exemplary automated exercise designed to teach basic math facts. The use of the notebook pages associated with this exercise is explained in detail below in the Example.

In general, the teacher may select an exercise from among the instructional materials assembled in accordance with the student profile and do exercises or review the materials along with the student, referred to as guided practice (GP). After the guided practice, the teacher may assign other materials for independent practice (IP) by calling up an exercise in the teacher workbook and then forwarding the exercise or material to the student workbook where it appears on the student's screen for the student to do unassisted.

Depending upon the results of the IP, the teacher may then assign a problem solving (PS) session to the student workbook. Problem solving is a higher level of exercise in which the student, for example, practices a mathematical concept using word problems. Thereafter, a

so-called distributed practice (DP) or mastery test is administered to determine whether the student has mastered the material or a particular skill. The DP is preferably administered during a later session in order to test whether the material has been retained. The results from the DP or mastery test are then stored in the server and used to update or amend the student profile.

At each stage of instruction and practice, records 10 pertaining to the student may be entered in the teacher's electronic workbook. The student workbook, as discussed above, and as will be better understood later, is the combination of a software module and data base for displaying and accessing instructional materials in accordance with the student profile and 15 teacher commands and storing response and other input data from the student. Likewise, the teacher workbook is a combination of software module and database containing and displaying an assembly of instructional 20 materials generated in accordance with the student profile. In the preferred embodiment, the teacher uses teacher workbook to instruct the student and assemble the student workbook. However, the student workbook can also be generated by a director of 25 education or automatically by (DE) the central processor in accordance with the student profile. student workbook is used to deliver instructional materials to the student and retrieve input data and forwards the data to the teacher workbook or central 30 processor.

In accordance with the invention, the workbook format or metaphor allows the teacher to look at the materials assigned to the student and the progress the student has made. The materials assigned in the student

workbook are delivered in accordance with the student profile, as discussed above, either (1) as assigned by the DE, (2) as assigned by the teacher by means of the teacher workbook or (3) as automatically assembled by the central processor in accordance with the student profile.

When the various stages of practice have been completed, the workbook may be marked and any inputs automatically stored. Grades, error analysis, and time 10 on task records may be automatically logged for later analysis and used in the updating or amendment of the student profile. Some records for use in amending the student profile may also be entered manually by the teacher from the teacher workbook. The teacher uses the 15 notebook metaphor electronic teacher workbook to tab through the teacher workbook to various sections, for example, instruction, goals, etc., wherein activities may be logged and notes taken. As discussed in detail in the Example, by clicking a mouse or touching the pen 20 to the screen at the tab, a particular page or section of the teacher notebook opens.

In order to determine whether the system of the present invention is working properly, accurate records are necessary. To this end, the system allows automated record keeping, storage and analysis. records are kept for the benefit of the student, allowing the teacher to conduct meaningful comprehensive parent teacher conferences. teacher conference can be conducted with the same interactive arrangement of the worktable workstations 20, 23 shown in Fig. 2.

25

30

Records may also be kept on a global basis in order to evaluate the system effectiveness for a large number of students. Statistical information and

analysis may be kept, which is useful in evaluating specific instructional materials assembled workbooks and the relationship of the instructional materials used to the skill level of the student. It is important to identify which instructional materials or methods work for teaching a particular concept to students of a particular skill level, in a particular group, or with certain demographic or characteristics. The feedback mechanism of the system present invention allows for improvement of the entire system. Instructional materials can be analyzed for effectiveness at the same that students progress is noted and student profiles continually updated and amended. Feedback is also used on a one-to-one basis between the teacher and the student.

10

15

The pen-based computer tablet interface arrangement of workstations 20,23 allows for free style writing on the tablet. During an instructional session, 20 the teacher can call the teacher workbook for each student 23, and with it instructional materials for various practice exercises over the entire range from GP to DP. For example, as shown in Figs. 7 and 8, the teacher may call up a page of subtraction problems and 25 transfer the problems to student workbook which viewed at the student workstation 22. The student may then answer the problems by physically entering the answer on the problem solving screen of the appropriate workbook page. For example, the student may simply 30 write in by hand the sum of a column of numbers below the column as in a traditional written mathematics exercise. In the meantime, the teacher 21 may working with another student by turning to the section of the teacher workbook devoted to that student and

supplying different instructional materials or other activities and at a grade or learning appropriate to the second student as determined by that student's profile. When it is time to review exercise, the teacher can call the work sheet from the student workbook to the teacher workstation 20 where it may be evaluated. Both student and teacher may look at the results. In this connection, the teacher sees exactly what was presented to the student and the actual written responses of the student. The teacher may call up the correct answer for comparison with the student's answer and if the answer is incorrect, discuss the reason for the error. The teacher may then use the knowledge gained from this interactive error analysis to explain the work, to assign another exercise, such as those from among a set assembled in accordance with the student profile, or to amend the student profile.

10

15

30

A number of alternate arrangements of assessment 20 and diagnostic tests for generating a student profile are contemplated. A first arrangement employs scannable score sheet for machine scoring. scannable score sheet is scanned by an image scanner. The scannable score sheet is typically a "bubble sheet" 25 for entry of answers. This technique uses an answer sheet which is keyed to an associated instruction booklet.

An alternative arrangement of the assessment and diagnostic test is a computer test arrangement in which the computer screen is used to display test questions and the answers may be entered on the screen using the electronic pen or other input device. Either in the embodiment using scannable sheet or the computer test, scores are computed automatically upon entry into the

10

20

25

computer, and a student profile generated from the results. With very young children, for example, responses to questions, or whether questions were answered correctly or incorrectly could be manually input by a teacher or proctor.

The computer test arrangement is especially useful with children. as smudging errors and the experienced with scannable sheet test are reduced. Also, the computer test may be used with a multimedia arrangement contemplated by the invention in which the student uses the student workstation 23 and auxiliary headphones to hear questions and/or answers appearing on the screen. The advantage of both types of tests, is that automated scoring and reporting may be achieved with great time savings. Also, when used in combination with recorded instructions, great consistency in test administration is achieved. It is contemplated that instructions for either the scannable sheet or computer tests would be recorded professionally with appropriate scripting and voice inflection to stimulate a test taker's interest and enthusiasm. Also, a recorded script properly delivered to every applicant results in more consistent results, and easier evaluation of the test itself. Lastly, the instructions could delivered in any of several languages, depending on the test give.

Other advantages of the automated system according to the present invention include reducing paperwork and greatly increasing efficiency. For example, currently, individual student results are forwarded to a central location for statistical tracking and the like. The method and system of the invention allows for electronic bundling and transmission of data for batch processing of results thereby reducing paperwork and

data entry problems, saving time and improving efficiency results from other automated tasks.

Additional advantages of the system allow for the incorporation of many currently available multimedia programs in the set of instructional materials assembled in accordance with a given student profile. This method improves resource availability and system versatility.

Also, independent tests may be incorporated into the method and 10 system according to the present Examples of independent tests are vision invention. screening and receptive vocabulary tests, which can be supplied by outside vendors as off the shelf software. The results of these tests may or may not be used in the generation, updating and amendment of the student 15 Also, students tend to operate at a computer profile. workstation for longer periods and with more enthusiasm than they might otherwise using conventional materials, thereby increasing length of stay, or time 20 students are enrolled in learning centers using the system of the invention.

Example

25

30

This example illustrates the preferred embodiments of the present invention, but the invention is not intended to be limited thereto.

The automated assessment and diagnostic/prescriptive test to identify skill gaps and generate the student profile, and thereafter the automated instructional delivery is, for example, carried out with the following computer hardware.

Hardware:

- a plurality of IBM-compatible or Mac computers

- networked operating system for file access/sharing

- color VGA display (CRT-monitor or LCD-flat panel color display)
- pointing/input device:

10

20

25

30

- 5 can be light pen hooked up to bus or serial port
 - mouse (e.g., PS/2), or
 - pen-based stylus (e.g., electro magnetic or electrostatic)
 - touch-screen display (e.g., resistive technology)
 - keyboard (infrared or cabled)
 - multimedia hardware including CD-ROM, sound card, etc.

The hardware above is assembled into a network of worktables 25 as shown in Fig. 2.

Software is provided to administer and score a battery of diagnostic/prescriptive assessments. Multimedia and graphics software are provided for student prompting and answer selection. Sound software is provided for test administration instructions and feedback. In addition, answer evaluation and test scoring and result analysis software is also provided.

In this Example, the computer administers a battery of diagnostic and prescriptive tests to a student. The computer then scores the student's answers and computes scale scores, percentiles, and grade equivalent scores. An item analysis is performed to identify skill gaps which are used to generate a student profile. Software is provided to track and manage student results. The tests are then scored and test norm comparisons are made. Lastly, student profiles are created from the test results.

Prescriptions, that is, assemblies or lists of instructional or other materials are made in accordance

5

10

15

with the student profile. Software is provided to update and amend student profiles, using, for example pre- and post test comparisons.

At the stage of automatic instruction, software tracks student progress in the mastery of certain In other words, the software skills and material. determines whether the "skill gaps" recorded in the student profile have been filled. The software provides for the storage, retrieval and delivery of instructional materials, and input in response to the instructional material. In accordance with the input with respect to the instructional material. software updates or amends the student profile and thus allows the assembly of new sets of instructional material and further automated instruction.

The automated delivery of instructional materials is conducted as follows. The teacher refers to a teacher workbook generated in accordance with the student profile and identifies a skill to cover. 20 teacher workbook displayed on the teacher workstation instructional materials correlated identified skill area in accordance with the student profile. The teacher selects an instructional item, and, at the teacher's command, the item is sent to the 25 and displayed on student workbook the student workstation. The student uses stylus, light pen, mouse, touch-screen, or keyboard to solve problems, and input answers in a fashion appropriate to the configuration of the system. In the embodiment of this example, the 30 pen is used to write or select answers. Thus the teacher can monitor as students work. The student management/tracking system of the teacher workbooks records the student's performance. In this way, the system can track student progress based

instructional materials, skill gaps, teacher, time spent on different skills, etc. By periodically updating the student profile, a new prescription for the student is produced and the automated delivery process repeated.

Software Module Names and Definitions

The system according to the present invention preferably comprises the following software modules.

Document Manager Module

The Document Manager is used to insert teaching or 10 instructional material into the database. Documents added can have question input areas assigned.

The Document Manager preferably has the following features:

- 15 (1) Scans in images from a TWAIN compatible or other device.
 - (2) Reads text data from the existing sources in the student profile database (MalPages.TXT).
 - (3) Stores data in a compact format
- 20 (4) Supports Bitmap, Envoy, ASCII Text, Rich Text Format, or other convenient formats.

DE/Administrator Module

25

30

The DE/Administrator module allows the DE of the center to administer the system, preferably has the following features:

User Group and User ID setup. All passwords and security clearances are defined through this module. All access to the system is via a User ID/Password that controls features accessible to that user. Each user is assigned to a group. group is assigned combinations accessible features. Groups are defined on a

center by center basis allowing ultimate control of data by the directors.

- (2) Review of Communication Logs. The DE can list and review all communication logs entered by the teachers.
- desired, the DE can review all information about a student and assign the instructional materials for GP, IP, PS and DP's to be used with the student. Yet it may be preferable in some instances to have teachers assign work, or to have work assigned automatically by the system in accordance with the student profiles. Therefore, this feature is optional.
- 15 (4) Enter special notes for the teacher. These notes will be displayed in the teacher's workbook when the student is taught again. Notes can be made mandatory so a teacher must acknowledge to the system that a special note 20 was read before continuing with the instruction.
 - (5) Perform quality review of data stored by the Teacher module. All data should be presented to the DE in a chronological and logical format. This includes communication log's, test results, special notes, etc.

Teacher Module

5

10

25

30

The Teacher Module is used by the teacher to administer and deliver the educational materials. This module generates the teacher workbook screens, as illustrated in Figs. 3-10.

The Teacher Module preferably has the following features:

The teacher would log in to the system at the start of the session. This establishes the rights and privileges of the teacher. A typical login screen for use with the present invention is shown in Fig. 3. The login screen allows the teacher to select and seat certain students around the worktable, in the present example, a three student arrangement is shown as seen in Fig. 2.

The teacher enters the student's name at the login screen shown in Fig. 3. In Figure 3, the teacher has touched the name Carl Goughnour with her pen, and then touched the large arrow at the left of the screen to indicate that student Carl is sitting at the student workstation 22 to her left. From that point in time, the teacher may select other students to sit at the remaining two workstations.

Clicking or touching the "To Instruction" button on the right of the screen after entry of one or more the student's names and ID brings up the electronic teacher workbook for the students which contains the student records, prescription of instructional materials, and other data.

After log in, the teacher sees a communication log screen, as shown in Fig. 4. The top portion of the screen, approximately top 5%, is a status section. This section displays the current student (Carl Goughnour), grade level (Grade 6.1), program (MA1), hour of instruction, date and time (September 11, 1997 at 11:00am).

The "Students" button placed on the left side of the status section in Fig. 3 drops down a menu with the following options:

(1) Cancel - Cancel the menu.

20

(2) 'Student Names' - Switch to the specified student's workbook.

- (3) Return to Student Placement Return to the seating screen (See Fig. 8).
- 5 The remaining portion of the screen of Fig. 4 follows the workbook metaphor and displays a section of the electronic teacher workbook. Tabs are used on the left and right side of a given section to switch between various teacher workbook sections. Fig. 4 shows tabs for Communication Log, Goals, Instruction, 10 Basic Facts sections. Graphics on the screen are used to reproduce a notebook metaphor (Binder rings, tabs, colors..) Entries on the right hand page of the notebook reflect the current session. Previous session 15 information is given on the left hand page. The teacher can switch between pages by touching or clicking the lower left and right hand corners of the notebook respectively.

The communication log section shown in Fig. 4 is 20 used by the teacher to communicate with the DE, and provides a simplified method for communicating a given instructional session's results.

As show in Fig. 3, the teacher notebook allows the following data fields:

25 (1) Motivation: Evaluated at from 1 (low) to 5 (high). The teacher selects a value via a drop-down list.

30

- (2) Speed: Evaluated at from 1 (low) to 5 (high).

 The teacher selects a value via a drop-down list.
- (3) Concentration: Evaluated at from 1 (low) to 5 (high). The teacher selects a value via a drop-down list.

5

30

(4) Finished Work?: Yes or No. The teacher selects a response via a checkbox.

- (5) Work Load: The selections are "Need's More", "Need's Less" or "No Change". The teacher selects via a drop-down list.
- (6) Needs Attention: True or False. The teacher selects input via a checkbox. A check in this box is used to notify the DE.
- (7) Subject Worked On: The teacher selects either a

 main subject (in this case MA1) or homework support. This selection is used to assign and increment the hours completed. It is preferable that homework support hours do not count towards the completion of an original subject. This field defaults to the original subject so the majority of the time no change will be needed.
 - (8) Notes: This section allows Free-form text entry and is used for Teacher / DE communications.

By clicking on the "Goals" tab of the teacher 20 workbook shown in Fig. 4, the Goals and Special Notes section of the teacher workbook shown in Fig. The pages shown in Fig. 5 are used to display long-term the and short-term goals generated automatically from the student profile or entered with respect to special notes from the DE to the teacher. 25 The left and right hand notebook pages of Fig. 4 shows the goals, and special notes, respectively.

In this embodiment, the Teacher must acknowledge special notes before proceeding to the instruction pages. A button in the lower right side of the special notes page (not shown) will be touched with the stylus to acknowledge the notes.

The instruction of a student using the method and system of the present invention will be described with reference to Figs. 6-10.

The instruction section of the teacher's workbook shown in Fig. 6 is used to list the skills for the student's prescription, as determined by the student profile. In a grid-like configuration, the skill code, skill description and the steps for teaching process (GP, IP, PS, DP, Review) are listed in the order in which they should be taught. A second grid below the main skills grid displays the instructional materials assembled by the system for the selected skill/step. Fig. 6 shows that a skill designated 2052 has been selected for general practice (GP).

The 'View' button at the bottom of the screen in Fig. 6 allows the teacher to view the selected material before sending it to the student's workstation and notebook. After pressing "View", a screen such as that shown in Fig. 7 appears. In the screen of Fig. 7, the teacher has the option of sending the materials to the student workbook by pressing "Send to Student", getting answers from the student by pressing "Get Answers", collecting input from answered questions by pressing "Collect Score", and returning to the instruction screen by pressing "Return to Presc."

The "Description" button at the bottom of the page of Fig. 6 retrieves a description of a particular skill for the teacher. The "Score" button enters a score and error analysis for the particular instructional material and the "Mastered" button.

30

From the screen of the teacher workbook shown in Fig. 6, the teacher can send questions to the student, and thereafter, retrieve answers for discussion with the student.

Figs. 9 and 10 illustrate the Basic Facts application for mastering addition, subtraction. multiplication and division tables. The application randomly generate as many basic math questions as a student can answer in one minute. example in Fig. 9, the teacher will select addition, subtraction, multiplication or division problems, by touching the appropriate symbol on the left hand page of the note book. In Fig. 9, addition has been 10 selected. The teacher may also assign particular addition problems, by touching the appropriate square on the right hand page in Fig. 9. For example, if the square at the intersection of 0 and 1 is selected, the student is given the problem "0 + 1 = ?". Any number of problems can be assigned, but if none are assigned, 15 then the program will assign problems randomly. "Clr Assigned" button at the bottom left of the right hand page of Fig. 9 clears assigned problems. it" button at the lower right of the right hand page sends the randomly generated or assigned problems to 20 the student workbook. The darkly shaded squares in Fig. 9 indicate the number of times a student has answered a given question incorrectly. For example, the Fig. Shows that this student has answered the question "11 + 0 = ?" incorrectly five times. The lightly shaded 25 squares indicate the number of correct answers. this student has answered "0 + 0 = ?" correctly twice. Blank square indicate questions not yet asked.

The graphical information on the left hand page of 30 Fig. 9 shows the percentage of questions the student has completed in the "Mad Minute" exercise, and the completion rate, or number of questions completed in the minute, respectively.

Touching the "Master" button at the bottom of the left hand page in Fig. 9 moves the workbook to the page shown in Fig. 10. The so-called "Mastery Sheet" shown on the left hand page of Fig. 10 simply depicts the right and wrong answers from manually selected questions (not randomly assigned by the computer).

Student Module

5

10

15

20

25

The Student Module generates the student workbook and allows the student to receive the educational material sent by the teacher and enter answers via the student workstation. In the preferred embodiment, the workstation is a pen-based computer.

The student module the interface is to the student. It takes most of its direction from the teacher module and workbook. The pen-based technology of the student workstation allows the student module software to be run without a keyboard or mouse. software therefore needs support for a pen-based interface only. The student module requires, the display of information including student workbook as required by the teacher module. The student module software allows handwriting to be captured from the student as the student writes and sends this writing or other input to the teacher module The student module should have the for review. capability of running external software applications, when directed by the teacher module. The teacher module should have the ability to stop any external program.

As shown in Fig. 8, up and down arrow buttons scroll the page in thirds. In this embodiment, it takes 3 presses of the down arrow button to go to the next page. Scrolling the page in thirds gives the program a good probability of placing an entire question on the

computer's screen. The student can select write or erase modes for the stylus by touching the appropriate button on the left hand of the screen.

Database Structures

5 The following databases are used as part of the system and method of the present invention.

Table 1: T2KItem.DB - Paradox Table.

Name	Туре	December	
		Description	
Code	Char (10)	Code for Item	
Туре	Numeric(3)	<pre>Item Type: 0 = Page, 1 = Program</pre>	
Price	Numeric(10,4)	Price per Unit	
UnitType	Numeric(3)	Type of Unit's: 0 = Per Item, 1 = Timed	
UnitTime	Numeric(4)	<pre>If UnitType = 1, the Number of minutes per unit</pre>	
Desc	Char (100)	Description of Item	

Table 1 holds the list of available items used to teach skills, the price per unit and the type of units.

Indices

10

Name	Fields/Filter	Description
Code	Code	

Table 2: Skills.DBF - FoxPro table.

Туре	Description
Char(3)	Subject Code, MA1, RE4,
Char(4)	Internal Skill ID.
Numeric(3)	Natural order of
	presentation
Char (10)	Sylvan code.
Char (200)	Skill Name
Char(4)	Strand # in first char.
	Char(3) Char(4) Numeric(3) Char(10)

Description

Table 2 holds a list of all the skills for all the subjects.

Indices

Name	Fields/Filter	Description
ID	ID	
CODE	Code	
SUBJECT	Subject	

5 Table 3: RP.dbf - FoxPro table.

Name Type		Description	
InqNum	Char(4)	Link to RP database (Responsible party).	
Salutation Char(10)		Honorific used to make letter salutations.	
First	Char (15)	First name.	
MI	Char(1)	Middle initial.	
Last	Char(25)	Last name.	

Description

Table 3 holds the Responsible Party for the students.

Indices

Name	Fields/Filter	Description
INQNUM	InqNum	
FULL1	<pre>UPPER(First+MI+Last)</pre>	
FULL2	<pre>UPPER(Last+First+MI)</pre>	

10 Table 4: Users.dbf - FoxPro table.

Name	Туре	Description	
UserNum	Numeric(5)	Unique number for user.	
Name Char(20)		User's name for use in	
<u> </u>		program.	
Password Char(15)		Password for user.	
LTIME Char(10)		Last login time.	
LDATE	Date	Last login date.	
First	Char (15)	First name.	
MI	Char(1)	Middle initial.	
Last	Char(30	Last name.	

Indices

Name	Fields/Filter	Description	
NAME	Name		
USERNUM	UserNum		
INIT	Init		

Table 5: Student.dbf - FoxPro table.

Name	Туре	Description	
StuNum Char(4)		Unique ID for student.	
InqNum Char(4)		Link to RP database (Responsible party).	
First	Char (15)	First name.	
MI	Char(1)	Middle initial.	
Last	Char (25)	Last name.	
GradeDate	Date		
BirthDate	Date	Date of birth	
Sex	Char(1)	M/F	

Indices

Name	Fields/Filter	Description
STUNUM	StuNum	
FULL1	<pre>UPPER(First+MI+Last)</pre>	
FULL2	UPPER(Last+First+MI)	

Fig. 11 shows the link between databases Student.dbf 5 and RP.dbf.

Table 6: Goals.dbf - FoxPro Table.

Name	Туре	Description		
StudentID	Char(4)	Internal STS student id number.		
Subject	Char(3)	Subject Code.		
Code	Char(2)	0: Long, 1: Short		
Goal	Memo	Goal text.		

Indices

Name	Fields/Filter	Description
SSC	StudentID+Subjec t+Code	·

Table 7: SkillMap.dbf - FoxPro Table.

Name	Туре	Description	
Subject	Char(3)	Subject Code	
OldID	Char(4)	Old skill id.	<u> </u>
NewID	Char(4)	New skill id.	

Table 8: CNTS.dbf - FoxPro Table.

Name	Туре	Description
StudentID	Char(4)	Internal STS student id number.
TestHour	Num (4)	Hour/Session count was dinged.
DingDate	Date	Date the record was added to database.
Туре	Num (4)	Ding Type. Relates to TDingType object.
Signature	Char (10)	Security signature based on Center ID, StudentID and Ding Type.
BM1	Num (10)	Bitmap used to stored tested completed. Only valid when Type = diGeneral.
ВМ2	Num(10)	Date the record was added to database.

Description

Table 8 holds information about the counts or instruction credits used for a student. For each 5 student, there can be a record for each count(ding) type. For each count type, there can be multiple based on testhour. If a student has a record that matches the StudentID+TestHour+Type, then the a Type count is not removed from the 10 center's count bucket. The Signature field is a calculation based on Center ID, StudentID and Type that should generate a unique number. It is used to deter someone from adding records for students and, therefore, not decrementing the count 15 buckets.

Indices

Name	Fields/Filter	Description
STT	StudentID+STR(Te	·
	stHour, 4, 0) +STR(
	Type, 4, 0)	

Table 9: CntsAccm.dbf - FoxPro Table.

Name	Туре	Description
TestID	Num (4)	Internal Test ID based on TCountIndex.
Total	Num (6)	Total counts used.
SLUpLoad	Num(6)	Total counts used since last upload or transfer.
LastUpload	Date	Date of last upload or transfer.

7/23/2007, EAST Version: 2.1.0.14

Description

Table 9 keeps track of third party tests administered for accounting purposes so that royalties and so forth may be paid.

5 Indices

Name	Fields/Filter	Description		
TestID	TestID			

Table 10: PTT.dbf - FoxPro Table.

Name	Type	Description
StudentID	Char(4)	Internal STS student id number.
AssessID	Char(4)	Link to Assess.DBF
DateSent		date the record was moved to floppy. Initially set to 00/00/00.

Description

10

Table 10 holds triggers for use when uploading post test information. When a post test is given, a record is added to this table. At end of a month, the data from all tests can be assembled and analyzed. In this way, the effectiveness of teaching materials and other useful information can be gathered.

15 Table 11: T2KMFcts.db - Paradox Table.

Name	Type	Description				
MathFactsCtr	Integer	Unique ID number to this record.				
StudentID	Char(4)	Internal Student ID. Links to Student.dbf.ID field.				
Type	Char(1)	Type: A=Addition M=Multiplication S=Subtraction D=Division				
MadMinute	Char (200)					
MMWrongCnt	Char (200)	Arrow of wrong answer counts for Mad Minute. Each element will have a value from \$20 to \$7f where \$20 is zero wrong answers.				

MasterySheet	Char (200)	Array of flags to define the status of a Math Fact for use with Mastery Sheet processing.
MSWrongCnt	Char (200)	Arrow of wrong answer counts for Mastery Sheets. Each element will have a value from \$20 to \$7f where \$20 is zero wrong answers.

Description

5

10

Table 11 holds the results for the Math Facts exercise illustrated in Figs. 9 and 10. Math Facts is made of two sections, Mad Minute and Mastery Sheets. For Mad Minute, the system keeps track of up to three consecutive right answers and the total count of wrong answers. For master Sheets, the system keeps track of the same information. Mad Minute also keeps track of an Assigned status for each entry so the teacher or DE can pre-assign facts (e.g. the 7 X portion of the multiplication table) to do before continuing randomly through the list.

The bitmap for each element is as follows:

Bits 1,2: Right answer count 0 to 3.

Bit 3: Assignment bit.

Bit 6: Always true (Makes an empty element equal to a space, ASCII 32=20 HEX).

Indexes

20 StudentID_Type = StudentID + Type.

Fig. 12 shows the link between databases T2KMfcts.dbf and Student.dbf.

Table 11: T2KMFSn.db - Paradox Table.

Name	Туре	Description			
MFSessnCtr	Integer	Unique ID number to this record.			
MathFactsCtr Integer		Link to the Math Facts table			
SessionNum	Integer	Session # test was given			
Туре	Char(1)	Type: A=Addition M=Multiplication S=Subtraction			

		D=Division			
RightCount	Integer	r # of right answers			
WrongCount	Integer	#	of	wrong	answers

Description

5

Table 11 contains the results of a Math Facts session. This data is used to keep track of a student's progress, and can be used for depicting this progress graphically or reproducing the results in a parent workbook.

Fig. 13 shows the link between databases T2KMFSn.dbf and RP.dbf.

Table 12: Prescrip.DBF - FoxPro Table

Name	Туре	Description			
StudentID	Char(4)	Internal Student Number.			
Subject	Char(3)	Subject Code			
SkillID	Char(4)	Internal Skill ID. Links			
		to Skills.DBF.ID Lookup			
		database.			
Туре	Char(1)	????			
Tested	Char(1)	????			
Status	Char(1)	P = Prescribed by CAT			
		A = Assigned skill			
		manually			
		C = Completed			
]	M = Mastered			
		D Dx mastered			
MHour	Numeric(3)	Session # (hour) skill			
<u> </u>		mastered.			
MDate	Date	Date skill mastered.			
Segno	Integer	1 to X - order for			
GDQ1		instruction to be given.			
GPStart	Integer	Starting session # of GP			
GPEnd	Integer	Ending session # of GP			
IPStart	Integer	Starting session # of IP			
IPEnd	Integer	Ending session # of IP			
PSStart	Integer	Starting session # of PS			
PSEnd	Integer	Ending session # of PS			
DP1Start	Integer	Starting session # of DP1			
DP2Start	Integer	Starting session # of DP2			
DP3Start	Integer	Starting session # of DP3			
DP4Start	Integer	Starting session # of DP4			
DP5Start	Integer	Starting session # of DP5			
DPsDone	Logical	True if student has			
		mastered DP's			

Description

Table 12 is used to add new fields to the MalPresc.DBF or student profile to support additional data.

5 Fig. 14 shows the link between databases MalPresc.dbf and Student.dbf.

Table 13: T2KLtDtl.db - Paradox Table.

	, raradox	Table.
Name	Туре	Description
ListDtlCtr	Integer	Unique ID number to this
		record.
StudentID	Char(4)	Internal Student ID.
SkillID	Char(4)	Internal Skill ID.
PageCtr	Integer	Link to the T2KPgBm.DB
		pages.
PType	Char(4)	Same as T2KPgBm.Ptype
		field. Used to specify
		sub-type to SkillID. Eg.
]		2)S2 IP sets Ptype =
		'IP'. Null for RE4
		skill's.
PageDesc	Char (100)	Description of page when
		not linked, via PageCtr,
		to the T2KPgBm table.
Score	Numeric	Score for details that
		require scoring (REAL).
,	į	-9999 = Item not
		completed. Set when the
		sequence is set by DE but item has not been
		completed.
ErrorAnalysis	Char(1)	Analysis for the test
	0	entered by the teacher.
		'*' = No Error
•		'A' = Computational
		'B' = Conceptual
		'C' = Missing Step
		'D' = Random Error
SessionCnt	Integer	Session # the test was
		given.
SequenceNum	Integer	The sequence which items
		for a specific PageCtr
		skill. Set by the DE
		module to define the
		order of material for a
	<u> </u>	student.

Available	Logical	If available for use. The DE can set this material as 'Not to be used' by setting this to
		FALSE.

Description

5

10

15

Table 13 is used to link scores to work done by a student. The results of the work can be for pages stored in the T2KPgBm table, linked by the PageCtr field or work done off the computer. The teacher enters a description for the work in PageDesc. Internally, the work is linked to the subject via the SkillID and PType fields. If the Score field is -9999, the work has not been done but the record was created by the DE Module to provide directions for the teacher. The teacher module will display the items in the order of SequenceNum for all items where SequenceNum > 0. All zero items will be displayed last in no particular order.

Indices

Name	Fields/Filter	Description
StudentID Skil	StudentID + SkillID	
lid PC	+ PageCtr	

Fig. 15 shows the link between databases T2KLtDtl.dbf and Prescrip.dbf.

Table 14: T2KPgBm.db - Paradox Table.

Name	Type	Description
PagesCtr	Integer	Unique ID number to this
		record.
Subject	Char(4)	Subject (MA1,)
SkillID	Char(4)	Internal Skill ID for page
PType	Char(4)	Type of Page (DC, IP, GP, PS, DP). DC = Description on Skill Card.
AnswerKey	Boolean	True or False if page is
		answer key.
Description	Char (40)	Text description of page.
PNotes	Memo	Notes to the teacher about
		page.
PageData	Blob	Blob data holding all the information about the page(s).
AnswerToPage	Integer	Question page where this

page	holds	the	answers.
page	110443	Cire	diiswels.

Description

Table 14 holds the pages information. Page Information can be bitmap images, ASCII text or Rich Text. The file is indexed on Subject+SkillID+Type.

Indices

5

Name	Fields/Fi lter	Description
SubjectSkillType	Subject + SkillID + PType	

'PageData' field description

The 'PageData' field holds all the information about the page(s). This is a stream of binary data that is parsed by the application into bitmap images, text data and question area's.

The stream is made up of the following parts:

- 1? TPageHeader Contains the version of the stream. Current version is 1.
- 2? TPageImageArray 1 to X TPageImage's.
 - 3? TQuestMarkerArray 0 to X TQuestMarker's

Table 15: T2KCmLg.db - Paradox Table.

Name	Туре	Description
CommLogCtr	Integer	Unique ID number to this record.
StudentID	Char(4)	Internal Student number.
SessionCtr	ShortInt	Session for the communication log entry.
Date_Time	TimeStamp	Date / Time of the session
Motivation	ShortInt	Number value 1 to 5.
Speed	ShortInt	Number value 1 to 5.
Concentration	ShortInt	Number value 1 to 5.
Subject	Char(4)	Subject used for this session (MA1, Homework)
Workload	ShortInt	Number value 1 to 3. 1 = Needs more work, 2 = Adequate work, 3 = Needs less work.

FinishedWork	Boolean	True or False
NeedsAttention	Boolean	True or False
Notes	Memo	Memo field for free form text.

Description

Table 15 illustrates how each session is assigned a communication log entry. The DE or Teacher can enter notes about how the student performed during a particular session.

Indices

5

Name	Fields/Filter	Description
StudentID_Date Time	StudentID+DateTime	
StudentID_Sess ionCtr	StudentID+SessionCtr	

Table 16: T2KSpcNt.db - Paradox Table.

Taradox Table,			
Name	Type	Description	
SpecNtsCtr	Integer	Unique ID number to this	
,		record.	
StudentID	Char(4)	Internal student number.	
Notes	Memo	Memo field for free form	
		text.	
SessionCtr	Integer	Last session note was	
		reviewed.	
OneTime	Boolean	Is special note one time	
		or for each session.	
Reviewed	Boolean	True or False. Did teacher	
		review this entry.	
MustReview	Boolean	True or False. Teacher	
		must review before	
		continuing with session.	
AddedBy	Integer	User # in Symplicty	
		Users.DBF file of	
	1	user/employee who added	
		the note.	
DateAdded	TimeStamp	Date/Time the special note	
L		was added.	

Description

10

Table 16 holds notes from the DE for the teacher to review each session. The note can be setup to be reviewed each session or as a one time note that is seen and never seen again.

Indices

Name	Fields/Filter	Description
StudentID Date	StudentID+DateAdded	
Added		

Table 17: T2KStns.db - Paradox Table

Field Name	Description	
StnsCtr	Unique ID number to this record.	
Type	Type of record S=Student, T=Teacher	
Address	TCP/IP address of station	
Comment	Comment about station	
TeacherNum	If Type = 'S', this is RecCtr of teacher student belongs.	
StudentNum	If Type = 'S', this is student number around the table, 1 to 3.	

Description

5

Table 17 is used by the Teacher and Student programs in one embodiment to link to each other via TCP/IP. In the preferred embodiment, the Teacher looks up her students and contacts them via WinSock.

Table 18: T2KMaPgs.db - Paradox Table

raradox rabie		
Field Name	Description	
SkillCtr	Unique ID number to this record.	
SkillID	Internal Skill ID	
PageType	Type of page described here. 0: Introduce Skill 1: Demo through GP 2: GP Tests 3: IP Tests 4: PS Tests 5: Drill & Practice Tests 6: DP Tests	
PageSubType	Sub-type of page. 1 to X: Index to tests -1 to -X: Index to answers	
DisplayType	Type of display for this record: 0: Bitmap File 1: Offset inside compressed bitmap file. 2: Text File 3: Offset inside compressed text file	
FileName	Name of bitmap or text file.	

StartOffset	Starting offset inside compressed file.
EndOffset	Ending offset inside compressed file.
DisplayDescri ption	Description of this record for display purposes

Description

5

10

15

Table 18 is used in the Instruction screen when a teacher selects an item from the student's prescription. Based on the selection, the teacher can view the material and optionally send it to the student's workstation. The message formatting to the student workstation allows the student program to load the desired page without access to the database tables. The teacher program will pass the information, such as file names and offsets to the student program.

If SkillID = 'VERS', then PageType is the version of the database. This database is modified along with the corresponding bitmap and text as needed. It is preferred that there be a feature in the DE's program to display the version of this file as it is the heart of the prescription/teacher/student teaching.

An index on SkillID+PageType+PageSubType allows quick access to the desired page.

Table 19: T2KITAct.DB - Paradox Table.

Name	Туре	Description	
Code	Char(10)	Code for Item	
StudentID		Internal Student Number.	
	Numeric(8,2)	# of units used	
When	TimeStamp	Date/Time the item was used for the student.	

Table 19 holds contains a accounting of all items used by the Center. There is a link to which student used the item and how many units should be billed.

Indices

Name	Fields/Filter	Description
Code	Code	
SC	StudentID + Code	

Teacher/Student Messages

All messages are passed to/from Teacher Station to Student Station using files.

5 Messages are ASCII using the following general format:

Header: TEACH2K V1.00

Message: <Message token here>

Data: <Data Type>
<Message Data Here>

10 END

A single key word is passed on the Message Line. The receiving program processes the Data section based on the message. The version is placed in the header to provide a mechanism for two software pieces to know they are speaking the same language. If the receiving station doesn't understand the header, it ignores the message.

<Data Type> specifies the type of data being 20 received. ASCII is raw ascii data. BITMAP is a formatted bitmap file. If type is 'BINARY' the size of the binary data is placed after the word 'BINARY'.

Display Text Page

Header: TEACH2K V1.00 Message: ShowTextPage

Data: ASCII

<FileName.EXT><Start Byte Offset><End Byte Offset>

END

25

Display Bitmap File

Header: TEACH2K V1.00
Message: ShowBitmapFile

Data: ASCII
<FileName.EXT>

END

Display Text File

Header: TEACH2K V1.00
Message: ShowTextFile

5 Data: ASCII <FileName.EXT> END

Run External Program

Header: TEACH2K V1.00

Message: RunProgram

DATA: ASCII

<Program Executable to Run.EXE>

<Directory to Run In>
END

15 Close All External Programs.

Header: TEACH2K V1.00

Message: CloseExternalPrograms

Data: NONE

END

20 Show Page on student's workstation

Header: TEACH2K V1.00 Message: ShowPage Data: ASCII

<PageCtr from T2KPgBM.DB database>

25 END

Get written answers from the student's workstation

Header: TEACH2K V1.00 Message: GetAnswerBlock

Data: ASCII

30 <Question number 0 - X>

END

Returned answer from student's workstation to teacher

Header: TEACH2K V1.00
Message: ReturnAnswer
35 Data: BINARY <RecordSize>
RECORD STRUCT
QuestionNumber:Integer;

BitmapDataSize:LongInt;

BitmapData: BLOB;

ENDRECORD END

Single Flash Cards

Header: TEACH2K V1.00

Message: FlashCardsSingle

Data: ASCII <Number1> <Number2>

<Operand> ; A, S, M, D

10 END

5

Student Reset - Put student module back on signon panel

Header: TEACH2K V1.00 Message: ResetStudent

Data: ASCII

15 END

STS.INI file

The STS.INI file located in the \WINDOWS directory of all STS/T2K systems is used to specify setup 20 information unique to the Student or Teacher workstation. An example STS.INI file is as follows:

[Database]

; Path=C:\PROGRA~1\SUCCES~1\DATA200
Path=C:\SylvnDev\Teach2~1\DataT2K

T2Kpath100=C:\SylvnDev\Teach 2000\DataT2K T2KmsgPath=C:\SylvnDev\Teach 2000\Msgs

[T2K]
Table=1
Student=1

30 If the station is not a Student computer, the [T2K] Student entry is not required.

Information passed to/from Student 1 and Table 1 would be placed in a directory, for example, "C:\SylvnDev\Teach 2000\Msgs\Table1\Student1". In this directory are two .INI files, T.INI for the teacher and S.INI for the student. An .INI file example:

[Msgs]

35

NextSendMsg=1 NextRecvMsg=1

The Msgs section has two values 'NextSendMsg' and 'NextRecvMsg'. When the Teacher wants to send a message 5 the to Student, the Teacher program [T.INI][Msgs]NextSendMsg to get the number of the next message to send. It writes a file named `S00001.\$\$\$' increments the [T.INI] [Msgs] NextSendMsq. Student program has a thread running looking for the 10 [S.INI][Msgs]NextRecvMsg number. Likewise, the Teacher program has three threads running, one for student. Ιt watches for the file numbered [T.INI] [Msgs] NextRecvMsg to appear.

Overview of Method and System

25

30

The automated computer-based student management and instructional materials delivery method and system according to the present invention assists in tutoring activities including instructional materials delivery, student progress tracking, student testing, and management.

Specifically, the system automates the instructional materials delivery, student records, and progress tracking functions in a computer-based system. The primary unit comprises a teacher workstation 20 and student workstations 22 disposed in a single U-shaped table 25, as shown in Fig. 2. A number of students 23 and one teacher 21 will work at each table 25. The teacher as well as each of the students at the table 25 will have a workstation 20,22, a pen-based display tablet connected to the server and central processing 10. The student workstations 22 and workstations 20 are networked and can be housed in a single system unit, or multiple, small stacked

enclosures. The teacher has a small keyboard (not shown in Fig. 2) in addition to a pen-based computer display and input.

The teacher uses his/her pen-based tablet 5 workstation 20 to view the teacher workbook generated by the student profile for each student at the table 25. With a tap of the computer pen stylus, a teacher can view the detailed prescription, or assembled set of instructional materials, for any profile item. Once the 10 teacher selects а prescription or particular instructional material, а graphic image of textbook, worksheet or problem set is sent to the student workbook and displayed on the workstation 22 or pen-based tablet. The student can 15 write on their own workstation 22, work problems, make notes, and do the tasks assigned by the teacher. The teacher can read what the students have written at any time, and can archive or print the student's work as needed. Finally, the teacher can 20 update the student's profile showing work completed, scores on mastery tests (DPs), and other notes.

The system also students enables to use interactive multimedia instructional software reinforce, practice, and assess skills or learning objectives. Each student workstation comprises standard PC capable of running off-the shelf software.

25

30

The present invention meets the goal of developing a new automated instructional material delivery and student management system to replace the book-and-paper materials and manual records.

The system and method of the invention facilitates instructional delivery, manages and tracks student progress, delivers assessment and diagnostic test batteries through an automated system and provides

additional practice and learning opportunities for The system reduces instructional support time and costs, increases a teacher's capacity to work with additional students at the same time. efficiency generates new revenues for learning centers incorporating the system, thereby increasing profits. By tracking student progress through each instructional hour, the system supports accurate program, teacher, materials, and effectiveness studies. The system streamlines administration, reduces paperwork eliminates redundant record keeping. The system is engaging to students, thus increasing enrollment and period of time a student remains enrolled, facilitating new product development in instructional materials, enhancing quality control, and improving data collection.

10

20

30

The system of the invention enables teachers to deliver instructions with greater quality. Teachers can be given automatic, expert guidance and recommendations resulting in increased educational standards.

The system provides all instructional materials on hand whenever they are needed, the right materials can be given to students when they need it. Those materials which prove to be most successful with various students can be automatically favored by the system.

system also delivers all instructional materials in a timely manner. Record keeping student tracking is automatic, and student workbooks will be complete, up-to-date, and appropriately The system automatically links comments and notes between the teacher and Director of Education, and any documentation required for parent conferences, for example, are automatically maintained.

The system enables educational or learning centers to be responsive to state and local needs, course material or software additions and changes, as well as customer and center requirements.

- The system is flexible and adaptive, it delivers appropriate materials to suit teacher, school or center, and student needs. The system delivers book, worksheet, and notebook pages, as well as instructional, simulation, practice, or other software.
- New courses and materials can be readily incorporated into the curriculum by updating the system software without extensive operation or training changes.

State or local course differences, competencies, or other requirements and materials can be readily accommodated by the system. The system provides consistent administration and enables customization and enhancement for materials delivery, course content, initial and on-going assessment, and new skill development.

The system can be utilized to support corporate, franchise and contract-services learning centers by providing a more marketable instructional delivery model.

The system is streamlined, and offers an efficient, automated student tracking, instructional delivery and administration environment. Records are easier to maintain and use for center staff, and easier to understand and appreciate for parents.

New curriculum materials and methods are quickly added or updated in centers on a small or large scale through software updates. New modes of assessment and practice are also incorporated into the system with minimum training and expense.

The system enables a teacher to work with three or more students at a time while maintaining a preferable standard three-to-one ratio. A fourth student, example, could run computer simulation or practice while three other students are engaged in a typical learning course. Every four hours, for example, a student could rotate through a non-supervised "software" hour and gain valuable skill-building support.

The system is operated in a consistent manner using automation, and teachers or learning center personnel no longer have to pull materials, move around student notebooks, or duplicate student records.

The system reduces costs because instructional materials are loaded as software or electronically stored data and learning center staff do not have to pull or re-file books. Records are maintained automatically and data does not have to be re-copied or transferred.

20 The system tracks instructional delivered to students, and calculates, if necessary, cost information for billing students or the learning center for compensating owners of copyrighted instructional materials or some other source of the 25 materials, such as a main corporate office.

The system automatically captures and reports all relevant testing information. Pre-test and post-test data collection and reporting are streamlined. Demographic information and skill gaps can be tracked by region, or other characteristic, providing useful statistical data and marketing information.

30

Because the system is a computer-administered test battery, it delivers a consistent, thorough, high-quality test.

Learning centers can be prevented from altering or skipping steps in the test battery using the system of the present invention. All phases of administration, scoring, diagnosis and prescription-writing can be standardized and delivered in a consistent way.

While the present invention has been illustrated by a number of preferred embodiments, one of ordinary skill in the art will recognize that deletions, additions, modifications and improvements can be made while remaining within the scope and spirit of the appended claims.

What is claimed is:

 A method of automated delivery of instructional material comprising the steps of:

- (a) generating student profile data including skill gaps;
 - (b) generating an electronic student workbook containing instructional material correlated to the student profile data;
- (c) displaying the electronic workbook on a 10 student workstation;
 - (d) collecting student input data input at the student workstation in response to instructional materials; and
- (e) updating the student profile data in response 15 to the student input data.
 - 2. A method according to claim 1, wherein said step of (b) of generating an electronic student workbook further comprising the steps of:
- 20 (b1) generating an electronic teacher workbook containing a set of instructional materials correlated to the student profile,
 - (b2) displaying the teacher workbook on a teacher workstation,
- 25 (b3) generating the student workbook from a subset of said instructional materials selected by input into the teacher workstation.
- 3. A method according to claim 2, wherein said step (e) further comprises the steps of:
 collecting student input data from the student workstation to the teachers workbook, and

collecting teacher input data input into the teacher workstation.

- 4. A method according claim 3, wherein said step5 (e) comprises updating the student profile data in response to student input data and teacher input data.
- A method according to claim 1, further comprising the step of collecting instructional
 material data corresponding to instructional materials sent to a student.
- 6. A method according to claim 5, further comprising the step of calculating charges based on said instructional material data.
- 7. A method according to claim 1, wherein said step of generating a student profile data comprises administering a test to the student for identifying a discrete set of skill gaps, wherein the profile comprises the discrete set of skill gaps.
 - 8. A method according to claim 7, wherein said step of (b) of generating an electronic student workbook further comprising the steps of:

25

- (b1) generating an electronic teacher workbook containing a set of instructional materials correlated to skill gaps in the student profile,
- (b2) displaying the teacher workbook on a teacher 30 workstation,
 - (b3) generating the student workbook from a subset of said instructional materials selected by input into the teacher workstation.

9. A method according to claim 8, wherein said step (e) further comprises the steps of:

collecting student input data from the student workbook to the teachers workbook, and

- 5 collecting teacher input data input into the teacher workstation.
- 10. A method according claim 9, wherein said step(e) comprises updating the student profile in responseto student input data and teacher input data.
 - 11. A method according to claim 10, wherein said step (e) of updating the student profile data, further comprises adding and subtracting skill gaps.

15

12. A method according to claim 1, wherein the step (e) of updating the student profile data is followed by steps (b), (c), (d) and (e) to form a feedback loop containing steps (b), (c), (d) and (e).

20

13. A method according to claim 2, wherein the step (e) of updating the student profile data is followed by steps (b), (c), (d) and (e) to form a feedback loop containing steps (b), (c), (d) and (e).

25

14. A method according to claim 4, wherein the step (e) of updating the student profile data is followed by steps (b), (c), (d) and (e) to form a feedback loop containing steps (b), (c), (d) and (e).

30

15. A method according to claim 7, wherein the step (e) of updating the student profile data is followed by steps (b), (c), (d) and (e) to form a feedback loop containing steps (b), (c), (d) and (e).

16. A method according to claim 8, wherein the step (e) of updating the student profile data is followed by steps (b), (c), (d) and (e) to form a feedback loop containing steps (b), (c), (d) and (e).

5

17. A method according to claim 10, wherein the step (e) of updating the student profile is followed by steps (b), (c), (d) and (e) to form a feedback loop containing steps (b), (c), (d) and (e).

10

18. A method according to claim 2, wherein the teacher notebook further comprises an application for taking notes, and an application for generating statistics in response to the student input data.

15

19. A method according to claim 8, wherein the teacher workbook further comprises an application for taking notes, and an application for generating statistics in response to the student input data.

20

- 20. A method according to claim 2, wherein said step of (bl) of generating an electronic teacher workbook further comprising the steps of:
- (b11) generating an electronic director workbook 25 containing a set of instructional materials correlated to the student profile,
 - (b12) displaying the director workbook on a director workstation,
- (b13) generating the teacher workbook from a 30 subset of said instructional materials selected by input into the director workstation.
 - 21. A method according to claim 20, wherein said step (e) further comprises the steps of:

collecting student input data from the student workstation to the teachers workbook,

collecting teacher input data input into the teacher workstation, and

- 5 collecting director input data into the director workstation.
- 22. A method according claim 21, wherein said step (e) comprises updating the student profile data in response to student input data, teacher input data, and director input data.
 - 23. A method according to claim 8, wherein said step of (b1) of generating an electronic teacher workbook further comprising the steps of:
 - (b11) generating an electronic director workbook containing a set of instructional materials correlated to the student profile,
- (b12) displaying the director workbook on a 20 director workstation,

15

- (b13) generating the teacher workbook from a subset of said instructional materials selected by input into the director workstation.
- 24. A method according to claim 23, wherein said step (e) further comprises the steps of:

collecting student input data from the student workbook to the teachers workbook,

collecting teacher input data input into the 30 teacher workstation, and

collecting director input data into the director workstation.

25. A method according claim 24, wherein said step (e) comprises updating the student profile data in response to student input data, teacher input data, and director input data.

5

25

- 26. A system for electronic instructional delivery, comprising:
- a central data base containing student profile data and instructional materials;
- a central processor connected to the central database for generating electronic teacher workbooks from the student profile data and instructional materials;
- a teacher workstation connected to the central

 processor, including a display for displaying teacher
 workbooks generated by the central processor, an input
 device for inputing teacher input data generated in
 response to the teacher workbooks, and a processor for
 generating electronic student workbooks comprising
 instructional materials in response to the teacher
 input and student profile data;
 - a student workstation connected to the teacher workstation, including a display for displaying student workbooks, an input device for inputing student input data generated in response to instructional materials in the student workbook, and means for forwarding input data to the central processor to update the student profile data.
- 30 27. A system according to claim 26, wherein said student profile data comprises skill gaps.
 - 28. A system according to claim 26, further comprising a director workstation connected to the

central processor, including a display for displaying director workbooks generated by the central processor, an input device for inputing director input data generated in response to the director workbooks, and a processor for generating electronic teacher workbooks comprising instructional materials in response to the director input and the student profile data.

- 29. A system for electronic instructional
 10 delivery, comprising:
 - a central data base containing student profile data and instructional materials;
- a central processor connected to the central database for generating electronic teacher workbooks

 15 from the student profile data and instructional materials, and for generating electronic student workbooks comprising instructional materials in response to teacher input and student profile data;
- a teacher workstation connected to the central
 processor, including a display for displaying teacher
 workbooks generated by the central processor, an input
 device for inputing teacher input data in response to
 the teacher workbooks;
- a student workstation connected to the teacher

 workstation, including a display for displaying student workbooks, an input device for inputing student input data generated in response to instructional materials in the student workbook, and means for forwarding input data to the central processor to update the student profile data.
 - 30. A system according to claim 26, wherein the teacher and student workstations are at the same location.

31. A system according to claim 30, comprising a plurality of student workstations.

- 32. A system according to claim 31, wherein the 5 single location is a U-shaped table.
 - 33. A system according to claim 29, wherein the teacher and student workstations are at the same location.

10

- 34. A system according to claim 33, comprising a plurality of student workstations.
- 35. A system according to claim 34, wherein the single location is a U-shaped table.
 - 36. A system according to claim 26, wherein the teacher and student workstations are at different locations.

20

- 37. A system according to claim 36, comprising a plurality of student workstations.
- 38. A system according to claim 29, wherein the teacher and student workstations are at different locations.
 - 39. A system according to claim 38, comprising a plurality of student workstations.

30




Fig. 1




Fig. 2






Fig. 3



.<u>pi-</u>






Fig. 6






Fig. 7




Fig. 8




Fig. 6




Fig. 10

10/11




Fig. 11




Fig. 12




Fig. 13

11/11




Fig. 14




Fig. 15

INTERNATIONAL SEARCH REPORT

International application No. PCT/US97/16672

	· · · · · · · · · · · · · · · · · · ·			
A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :G09B 3/00, 5/00, 7/00				
US CL :434/307, 323, 350, 356, 359, 362 According to International Patent Classification (IPC) or to both national classification and IPC				
	LDS SEARCHED			
Minimum	documentation searched (classification system follow	ved by classification symbols)		
U.S. :	434/307, 323, 350, 356, 359, 362			
Documenta	ation searched other than minimum documentation to t	he extent that such documents are included	d in the fields scarched	
APS	data base consulted during the international search (s, search terms used)	
	CUMENTS CONSIDERED TO BE RELEVANT			
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.	
Α	US 5,441,415 A (LEE et al.) 15 Aug	just 1995.	1-39	
Α	US 5,002,491 A (ABRAHAMSON et	1-39		
Α	US 5,437,555 A (ZIV-EL) 01 Augu	1-39		
Α	US 5,176,520 A (HAMILTON) 05 Ja	1-39		
A,P	US 5,597,312 A (BLOOM et al) 28 January 1997.		1-39	
A	US 5,302,132 A (CORDER) 12 April 1994.		1-39	
			·	
Furth	er documents are listed in the continuation of Box C	See patent family annex.		
* Special categories of cited documents: *T* later document published after the international filing data or priority data and not in conflict with the application but cited to understand to be of particular relevance *A* document defining the general state of the art which is not considered to be of particular relevance *T* later document published after the international filing data or priority data and not in conflict with the application but cited to understand the principle or theory underlying the invention				
"E" document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to myolve an inventive step when the document is taken alone.				
cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claumed invention comment is considered to involve an inventive step when the document is combined with one or more other such documents, such combination				
means being obvious to a person skilled in the art document published prior to the international filing date but later than the priority date claimed document member of the same patent family				
Date of the actual completion of the international search Date of mailing of the international search report				
08 FEBRUARY 1998 0 5 MAR 1998				
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Authorized officer Diane Smith for				
Washington,	Washington, D.C. 20231 JOHN ROVNAK Telephone No. (703) 305-3230			

Form PCT/ISA/210 (second sheet)(July 1992)★